

## Appendix A – List of References

Historical site assessment references are designated by numbers. C-xxxxxx represents correspondence, R-xxxxxx represent reports, I-xxxxxx represents interview notes, and V-xxxxxx represents videotapes. References of government publications are listed at the end.

### *Correspondence*

- C-000014 Erickson, W. A., KAPL. Informally Titled: Narrative Report on SPRU. April 25, 1950.
- C-000015 Reber, E. J., KAPL to Distribution, KAPL. Loss of Plutonium in SPRU. October 12, 1950.
- C-000016 Truran, W. H., KAPL to L. L. German, KAPL. Radiation Hazards Incident XV Class B-13. October 19, 1950.
- C-000031 Lewis, D. M., KAPL to E. B. Gilbert, DuPont. Discussion of KAPL Evaporation Equipment. January 7, 1952.
- C-000035 Truran, W. H., KAPL to L. L. German, KAPL. Radiation Hazards Incident 53 Class B-51. April 17, 1952.
- C-000037 Bell, B. M., KAPL to L. L. German, KAPL. Radiation Hazards Incident 54 Class B-52. May 8, 1952.
- C-000063 Schoen, A.A., KAPL, Review of Ground Water Contamination in the Vicinity of Building H, April 11, 1956.
- C-000067 Cherubin, L.J., KAPL, Sketch of Actual and Potential Sources of Environmental Contamination – and Proactive Measures Taken, August 10, 1956.
- C-000082 Philio, R. T., KAPL to C. N. Perleberg, KAPL. Decontamination of Rooms 151 and 152, Building G2 Accomplishments to Date by KAPL Craftsmen. November 3, 1958.
- C-000084 Philio, R. T., KAPL to C. N. Perleberg, KAPL. Decontamination of Rooms 151 and 152, Building G2 Accomplishments to Date by KAPL Craftsmen. November 17, 1958.
- C-000085 Philio, R. T., KAPL to C. N. Perleberg, KAPL. Decontamination of Rooms 151 and 152, Building G2 Accomplishments to Date by KAPL Craftsmen. November 21, 1958.
- C-000086 Philio, R. T., KAPL to C. N. Perleberg, KAPL. Decontamination of Rooms 151 and 152, Building G2 Accomplishments to Date by KAPL Craftsmen. December 1, 1958.
- C-000087 Philio, R. T., KAPL to C. N. Perleberg, KAPL. Decontamination of BCE Cell, Rooms 151 and 152, G2 Accomplishments to Date by KAPL Craftsmen. December 19, 1958.
- C-000088 Philio, R. T., KAPL to C. N. Perleberg, KAPL. Decontamination of BCE Cell, Rooms 151 and 152, G2 Accomplishments to Date by KAPL Craftsmen. December 26, 1958.
- C-000098 Beebe, R. L., KAPL to J. T. Mahar, KAPL. Dose Rates from Floor Areas of Cell Area, Building G2. February 16, 1960.
- C-000106 Cherubin, L. J., KAPL to E. G. Haines, KAPL. Radiological Engineering Approval of G2 Filter Aisle Renovation Plans. May 17, 1961.
-

- C-000111 Mahar, J. T., KAPL, Ground Contamination - Tank Farm Area, Building H2, November 4, 1963.
- C-000112 Mahar, J. T., KAPL to Distribution, KAPL. Health Physics Memo - Preliminary Radiological Survey Findings in G2 SPRU Area. January 31, 1964.
- C-000118 Warden, J. E. S., KAPL to Manager, SNR. Transmittal of Completion Report - Disposal of SPRU High-Level Radioactive Liquid Waste from Knolls H2 Building. October 4, 1965. Note: C-001304 is the cover letter for C-000118 and R-002101.
- C-000119 Albert, L., KAPL to J. T. Mahar, KAPL. Radiological Aspects of Work Under Contract MR-00003. February 1, 1966.
- C-000120 Mahar, J. T., KAPL to J. Warden, KAPL. Radiological Survey During Entry into Building H Neutralizer Cells on April 15, 1966. April 21, 1966.
- C-000121 Warden, J., KAPL to J. T. Mahar, KAPL. Radiological Survey During Entry Into G2 SPRU Area on March 22, 1966. Document date: June 15, 1966.
- C-000122 Albert, L., KAPL to J. T. Mahar, KAPL. Tile Removed from H2 Control Room and Sample Aisle. August 22, 1966.
- C-000126 Stricos, D., KAPL to G. Fountain, KAPL. SPRU Cell Tank Samples. July 14, 1967.
- C-000127 Grant, W., Isotopes, Inc. to R. Weaver, KAPL. Survey Results for Decontaminated Areas of G2. September 18, 1967.
- C-000130 Mahar, J. T., KAPL to Distribution, KAPL. Entry Into G2 SPRU. June 9, 1970.
- C-000131 Mahar, J. T., KAPL to Distribution, KAPL. Entry Into G2 SPRU. June 28, 1971.
- C-000132 Mahar, J. T., KAPL to Distribution, KAPL. Radiological Survey - G2 SPRU. November 17, 1971.
- C-000133 Mahar, J. T., KAPL to Distribution, KAPL. Radiological Survey- H2 Neutralizer Cells. December 16, 1971.
- C-000142 Leboeuf, M. B., KAPL to Manager, SNR. Transmittal of *Maintenance of Containment Status of Radioactivity in the Facilities of the Former Separations Process Research Unit (SPRU) at the Knolls Site*. August 26, 1976. Note: C-000142 and R-002085 are the same document.
- C-000154 Flacke, J. L., KAPL to Manager, SNR. Building H2 Hillside Drain Water Investigation. August 8, 1983.
- C-000164 Traxler, R. C., GE-KAPL. KAPL Letter LSS-M-1603, April 19, 1984, Perspective on the Separation Process Research (SPRU) Facilities. April 19, 1984.
- C-000196 Bousman, J., KAPL to T. Campbell, KAPL. G2-H2 Tunnel Water Infiltration. June 27, 1989.
- C-000198 Barrett, D., KAPL to File, KAPL. Memo to File - H2 Separations Process Research Unit (SPRU) Facilities Inspection: Radiological and Physical Results. September 15, 1989.
-

- C-000201 Merrill, G. L., KAPL to M. J. O'Brien, KAPL. Chemical Characterization of H Building Tank Residue. February 21, 1990.
- C-000203 Ruben, A., KAPL to M. J. O'Brien, KAPL. Separations Process Research Unit (SPRU) Tank Farm Inspection. March 5, 1990.
- C-000298 Feinberg, S., DOE-Oakland to M. Galgoul, CH2M Hill. Data Taken From Tunnels Near Most Eastern Portion Under Building E-1. April 7, 2000. Note: C-000637 is part of C-000298.
- C-000394 Author unknown, M., KAPL to D. (unreadable), KAPL. Tank Farm Letter Dated 4/22/90. April 22, 1990.
- C-000396 Gervasio, W. J., KAPL to File, KAPL. Memo: History of the SPRU Tank Farm. September 8, 1997.
- C-000427 Author unknown, ATCOR. Transmittal of Weekly Health Physics Report. August 1, 1966.
- C-000428 Author unknown, ATCOR. Transmittal of ATCOR Log. July 12, 1966.
- C-000429 Freerman, R. L., GE, KAPL Radioactive Facilities Deactivation Technical Report on Reducing Contaminated Water Processed in Building H2, January 29, 1980.
- C-000445 Knapp, B. F., GE, Catalogue of Radioactively Contaminated Systems and Components, April 22, 1977.
- C-000458 Kerr, D., KAPL, Estimated Minor Construction, FY 1953 - Process Operations, January 19, 1952.
- C-000461 Kerr, D., KAPL, Letter: Operation Management for H Building, November 27, 1951.
- C-000469 Reber, E. J., KAPL, Letter: Discrepancy in Classified Document Inventory, April 15, 1952.
- C-000475 Evens, J.D., KAPL, Letter: Inadvisability to Turn the Operation of Bldg. H. Over to a Waste Management Group, November 27, 1951.
- C-000476 Reber, E. J., KAPL, Proposed Radioactive Waste Disposal Organization, December 4, 1951.
- C-000479 Copland, B. V., KAPL, Letter: Available Space in G2 for other Sections of KAPL, July 14, 1953.
- C-000482 Bragg, L. B., KAPL, Slots in Building G2 and H, November 3, 1949.
- C-000486 Author unknown, KAPL, Maintenance Work for Month of July, 1953, July 1953.
- C-000489 Arker, A. J., KAPL, Letter: Overflow on Drain Line, September 30, 1953.
- C-000493 Urbon, W. G., KAPL, Chemicals Used in the Separations Pilot Plant, November 12, 1951.
- C-000498 Faught, Jr., R. C., KAPL, Letter: Monorail in Cell 5, July 1, 1948.
- C-000500 Gould, J. R., KAPL, Memo: Spill of Radioactive Material in Room 151, March 20, 1951.
-

- C-000503 Gould, J. R., KAPL, Memo: Batch Countercurrent Extraction Unit Flowsheet, September 18, 1950.
- C-000536 Wing, R.J., Chief, Federal Facilities Section, U.S. EPA, Expanded Site Inspections Knolls Atomic Power Labs Niskayuna and Kesserling Sites to Drew Seepo, Director, Radiological/Environmental Control and Safety Division, DOE SNR. May 27, 1994.
- C-000537 Seepo, D., Director, Radiological/Environmental Control and Safety Division, DOE SNR, Expanded Site Inspections Knolls Atomic Power Labs Niskayuna and Kesserling Sites, to Robert J. Wing, Chief, Federal Facilities Section, U.S. EPA.. October 13, 1994.
- C-000637 Feinberg, S., DOE-Oakland to M. Galgoul, CH2M Hill. Technical Information - Incidents and Radiological Data. April 11, 2000. Note: C-000637 is part of C-000298.
- C-000860 Darling, H., KAPL to S. Feinberg, DOE-Oakland. Transmittal of Various Radiological Data Files. November 16, 2000.
- C-000997 Marr, P., CH2M Hill to File, CH2M Hill. History, Pipe Tunnels - Telecon P. Marr & R. Zawadzki. May 19, 2003.
- C-001950 Kramer, D. A., KAPL to (unreadable), KAPL. Turnover of Tenant Responsibility of G2 Laboratory Area (RW2). September 1, 1999.
- C-001957 Simon, R.H., KAPL, *KAPL Radioactive Waste Committee (RWC) Meetings August 22, 1951*, August 22, 1951
- C-002033 Misiewicz, R., KAPL Plant Engineering and Design to Manager, SNR. Contaminated Liquid Waste Disposal, H2 Tank Farm; Request for Concept Approval. 1965.
- C-002035 Gervasio, W. J., KAPL to Distribution, KAPL. Report of 1998 SPRU Tank Farm Inspection with Results of 1998 SPRU Tank Farm Vaults; Videotape Report. July 31, 2000.
- C-002043 Gould, J. R., KAPL to Dr. L. B. Bragg, KAPL. Proposal of an Experimental Unit for Operation at Full Hanford Activity. October 7, 1949.
- C-002049 Author Unknown, SPRU 97-02: Minutes of Meeting on Waste Plan for SPRU Tank Farm Inspection, June 19, 1997
- C-002052 Author Unknown, KAPL, Memo to File: Status of the Tanks in Building G2 and Building H2, Associated with SPRU, December 28, 1988
- C-002082 Barrett, D. C., KAPL. Transmittal of G2 SPRU Inspection: Radiological and Physical Results Video Tape Report. August 28, 1989.
- C-002083 Barrett, D. C., KAPL, G2 Tunnel Inspection: Radiological and Physical Results Videotape Report, Memo to File, KAPL, August 28, 1989.
- C-002100 Schoen, A. A., KAPL, Review of Ground Water Contamination in the Vicinity of Building H., April 11, 1956.
- C-002106 Albert, L.R., KAPL, Survey Results from G2 Upper Sample Aisle, February 9, 1966.
-

**Interviews**

- I-000418 Lambright, J. Interview with Clark Briggs and Larry Hayes Re: Walkdown of Building H-2. May 11, 2004.
- I-000421 Lambright, J., ERG, Inc. Interview with Tom Lantz, KAPL. May 12, 2004.
- I-000422 Lambright, J., ERG, Inc. Interview with George Fountain, KAPL (retired). May 13, 2004.
- I-000423 Lambright, J., ERG, Inc. Interview with Dave Nicholas, KAPL. May 11, 2004.
- I-000426 Lambright, J., ERG, Inc. Interview with Jim Kleinhaus, KAPL. May 12, 2004.

**Reports**

- R-000001 Author unknown, KAPL. *KAPL-913 - Pilot Plant Progress Report Feb-June 1953, Draft*. Undated.
- R-000009 Larson, R. E., KAPL. *Pipe Vessel Testing - Supplementary Notes - No. 2*. October 7, 1949.
- R-000022 Welsh, L. A., KAPL, and E. J. Reber, KAPL. *Separation Process Research Unit (SPRU) Cell 1 Decontamination During December 1950*. March 10, 1951.
- R-000025 Holm, C. H., GE-Hanford. *Retention of Iodine in Process Solutions by Mercuric Salts*. June 15, 1951.
- R-000026 Author unknown, KAPL. *Summary Technical Progress Report #48*. July 1951.
- R-000034 Author unknown, KAPL. *Special Procedures Manual PO-3*. March 1, 1952.
- R-000036 Author unknown, KAPL. *Operating Procedures for the Concentration of Radioactive Waste by Evaporation*. May 1, 1952.
- R-000038 Author unknown, KAPL. *KAPL 758 Summary Technical Progress Report # 59*. June 1, 1952.
- R-000039 Author unknown, KAPL. *KAPL 785 Pilot Plant Progress Report*. May – July 1952.
- R-000041 Steiner, F. C., DuPont, and J. F. LaBonte, DuPont. *Pilot Plant Progress Report*. August 1, 1952.
- R-000046 Author unknown, KAPL. Informally Titled: *Cake Solution*. December 10, 1952.
- R-000047 Author unknown, KAPL. *KAPL 860 Progress Report November 1952 - January 1953*. November 1952 – January 1953.
- R-000048 Author unknown, KAPL. *Chemistry and Chemical Engineering Section*. January 1, 1953.
- R-000049 Arker, A. J., KAPL and C. M. Wilson, KAPL. *Pilot Plant Progress Report*. February 1, 1953.
- R-000056 Author unknown, KAPL, *H2 Tank Farm*, undated.

- R-000057 Knapp, B. F., KAPL. *Summary and Evaluation of Bldg. H Tests Wells and Drainage Ditch Monitoring Findings*. February 18, 1954.
- R-000059 Arker, A. J., KAPL and W. J. Derrick, KAPL. *Standby Status of SPRU Facilities - Building G2/Radiation Surveys*. March 1, 1954.
- R-000102 Beebe, R. L., KAPL. *Health Physics Preliminary Look at Contamination Control During Proposed Clean-up / Seal-up Operations in Cell Areas of Building G2*. December 30, 1950.
- R-000113 Manieri, D. A., KAPL, Fragomeni, J. J., KAPL, and R. E. Larson, KAPL. *Nuclear Safety Manual for the Knolls Atomic Power Laboratory Part III Nuclear and Radiological Safety Procedures Manual Chapter 40 Work Area: SPRU Cells*. July 28, 1964.
- R-000114 Barrett, D. C., KAPL. *G2 Tunnel Inspection: Radiological and Physical Results*. July 17, 1989.
- R-000115 Fountain, G. R., *Solidification of a Portion of SPRU Waste from the 505 Tank*, March 17, 1965.
- R-000155 Underberg, G., CH2M Hill. Informally Titled: Absence from Site. August 21, 2001.
- R-000156 Author unknown, CH2M Hill, *Outside Characterization Plan, Appendix B Conceptual Site Models of the Outside Characterization Plan, Procedure Number TSN-08, Rev. 2, n/a, January 9, 2004*.
- R-000159 Author unknown, ERM-Northeast, 1992, *Final Report – Hydrogeologic Evaluation of the Knolls Atomic Power Laboratory – Knolls Site*, July 8, 1992.
- R-000255 Author unknown, KAPL. *Separations Process Research Unit (SPRU) History and Current Status Rev. 1*. April 1998.
- R-000281 Author unknown, KAPL. *Knolls Site Radiological Survey*. December 31, 1999.
- R-000371 Author unknown, KAPL. Informally Titled: Entry Into G2 SPRU by J. Schoonbeck to Activate 3 Air Samplers in Access Corridor. March 6, 1968.
- R-000372 Author unknown, KAPL. *H. P. Smear Survey - G2*. March 7, 1968.
- R-000385 Author unknown, KAPL. *Table 3, Building H2 Radiological Conditions and Table 4, Underground Tank Farm Radiological Conditions*. December 1, 1971.
- R-000413 Dooley, M. J., DOE. Informally Titled: Forwarding of Information on the H-1 Cooling Tower Located at the Knolls Site. January 29, 2004.
- R-000430 Author unknown, U.S. Department of Energy. *U.S. DOE Knolls Atomic Power Lab*. <http://www.epa.gov/Region2/waste/fsknolls.pdf> . Undated. Date accessed November 5, 2004.
- R-000431 Author unknown, CH2M Hill. *Outside Characterization Plan SPRU, Project, TSM-08*. March 2004.
- R-000432 Author unknown, CH2M Hill. *Outside Areas Historical Site Assessment, SPRU Project, TSM-11*. November 2003.
-

- R-000472 Author unknown, KAPL, *KAPL Separations Pilot Plant*, December 11, 1953.
- R-000485 Author unknown, KAPL, *Process Operations Sub-Unit*, Undated.
- R-000506 U.S. DOE, SPRU RCRA Hazardous Waste Part A Permit Application, EPA ID Number NYR 000 096 859, February 1, 2004.
- R-000525 Dooley, M.J., DOE SNR, *Results of Radiological Surveys*, October 27, 2004.
- R-000533 Warden, J.E.S., General Electric KAPL, *Knolls Site Fixed Contamination Areas*, March 17, 1967.
- R-001126 Author unknown, KAPL. *Building G2 Occupied Spaces Radiological History Data*. January 11, 2001.
- R-001304 Feinberg, S., DOE-Oakland to B. Mathis, CH2M Hill. Forwarding of SPRU Related Docs. April 13, 2001. Note: R-001304 is the cover letter for C-000118 and R-002101.
- R-001546 Marr, P., CH2M HILL. RCRA Facility Assessment Preliminary Review – Visual Site Inspection Report New York State Department of Environmental Conservation (NYSDEC). July 20, 1998.
- R-001836 Author unknown, KAPL, Informally Titled: Bldg. H2 309' Level, 319' level, 332' level. Undated.
- R-001932 Author unknown, KAPL, Informally Titled: G2 - Document Describing Equipment and Areas in G2. Undated.
- R-001935 Hildebrand, J. E., KAPL. *Section II, Radioactive Contamination*. Undated.
- R-001948 Author unknown, KAPL, Informally Titled: Agenda DOE SPRU Visit. September 24, 1999.
- R-001949 Author unknown, KAPL. *Preliminary Evaluation of the Status of the Separation Process Research Unit (SPRU), Draft*. October 1992.
- R-001993 Author unknown, KAPL. *Semiannual Radioactive Waste Data Report*. 1963 – 2nd Half.
- R-002032 Author unknown, KAPL. *KAPL-4826 KAPL Site Environmental Summary Report*. June 1996.
- R-002036 Underberg, G., CH2M Hill. Informally Titled: Work Package AF-1 Steam Line Inspection by KAPL Personnel, POD conducted by Kent Pitman. October 4, 2001.
- R-002047 Author unknown, KAPL, *SPRU Interim Planning for Surveillance and Maintenance*. April 28, 2002.
- R-002051 Author unknown, TLG Engineering, Inc. *Decommissioning Cost Estimate Separations Process Research Unit*. September 1993.
- R-002058 Author unknown, KAPL. Informally Titled: Building G-1. Undated.
- R-002085 Steiner, F. C., KAPL, and G. R. Fountain, KAPL. *Maintenance of Containment of Radioactivity in the Facilities of the Former Knolls Site Separations Processing Research Unit (SPRU)*. Undated. Note: C-000142 and R-002085 are the same document.
-

- R-002087 Author unknown, KAPL. *Appendix B2: SPRU Operating Procedures for Repetitive Runs from Manual PO-2 January 4, 1952*. Undated.
- R-002101 Gervasio, W. J., KAPL. *Results of 1998 Separations Process Research Unit (SPRU) Tank Farm Vault Inspections, Rev 2*. February 2001. Note: C-001304 is the cover letter for C-000118 and R-002101.
- R-002107 Albert, L. R., KAPL. *Decontamination of Upper and Lower Sample Aisles of Former SPRU Facilities in Building G2 by Allied Crossroads Nuclear Corporation*. April 29, 1966.
- R-002108 Author unknown, KAPL. *Specifications for SPRU Clean-Up, Building H2 Knolls Site, KAPL, Schenectady, New York*. April 21, 1966.
- R-002126 Author unknown, KAPL. *Unverified Draft Copy - SPRU Status Report*. 1976.
- R-002170 Author unknown, KAPL. Informally Titled: Building G2 – SWMUs. December 18, 2000.
- R-002212 Briggs, C., KAPL, Hillside Activity for Years 2002 to 2005. April 14, 2006.

#### ***Videotapes***

- V-002002 KAPL, Videotape: SPRU Tank Farm 1998, Copy of Tape No. 1, Vault 578, 1998.
- V-002003 KAPL, Videotape: 1998 SPRU Tank Farm Inspection, Mock-Up Training, 1998.
- V-002004 KAPL, Videotape: KAPL Vault Inspection – 1998 – 1944237, Robotassist 3-D Simulation, 1998.
- V-002005 KAPL, Videotape: 1998 SPRU Tank Farm Video Inspection Overview Copy, 1998.
- V-002006 KAPL, Videotape: 1998 SPRU Tank Farm Inspection Overview Video, 1998.
- V-002007 KAPL, Videotape: Overview of SPRU 1989 Tank Farm Inspection run time 14 minutes, 1989.
- V-002008 KAPL. Videotape: G1 and G2 Tunnel Inspection May/June 1998 SPRU Inspection June/July 1998 1:30 Tape 1. 1998.
- V-002009 KAPL, Videotape: H2 Composite run time 30 minutes, SPRU Inspection H2 Composite Tape 2
- V-002010 KAPL, Videotape: A. H2 Tanks and Vaults 578 509E, 1998.
- V-002011 KAPL, Videotape: B. H2 Tanks and Vaults 509e, 578, 509D, 509C, 1998.

#### ***Additional references***

- DOE/EH-0256T *DOE Radiological Control Manual*, Revision 1, U.S. Department of Energy, April 1994. <http://www.eh.doe.gov/docs/rcm/rcm.html>.

- DOE Manual 413.3-1 *Project Management for the Acquisition of Capital Assets*, March 28, 2003, available at <http://www.directives.doe.gov/pdfs/doe/doetext/neword/413/m4133-1.html>. Date accessed November 5, 2004.
- DOE-STD-1098-99 U.S. Department of Energy Standard, *Radiological Control*, Change Notice No. 1, June 2004 <http://www.eh.doe.gov/techstds/standard/std1098/std109899.pdf>.
- MARSSIM, 2000 *Multi-Agency Radiation Survey and Site Investigation Manual (MARSSIM)*, Revision 1, DOE/EH-0624, Rev. 1. August 2000, available at <http://www.epa.gov/radiation/marssim/obtain.htm> Date accessed November 5, 2004.
- USGS, 1996 Phillips, P. J. and D. W. Hanchar, *Water Quality Assessment of the Hudson River Basin in New York and Adjacent States – Analysis of available nutrient, pesticide, volatile organic compound, and suspended sediment data, 1970-1990*, USGS Water Resource Investigation Report 96-4065, available at <http://ny.water.usgs.gov/pubs/wri/wri964065> Date accessed November 5, 2004.

## Appendix B – List of Drawings

Drawing No. and File Name	Description	Bldg.	Date
<b>Blaw-Knox Drawings</b>			
2828-10-1	Cell Details	G2	4/13/1948
2828-1-1	Layout Building G2	G2	3/26/1948
2828-1-2	Layout Typical Elevation	G2	4/4/1948
2828-1-3	Layout Plan First Floor	G2	4/12/1948
2828-1-4	Layout Cell Plan	G2	4/5/1948
2828-1-5	Layout Equipment in Cells 1, 2, 3, 4	G2	4/19/1948
2828-1-5A	Layout Equipment in Cell 5	G2	6/21/1948
2828-1-6	Layout Plan View Below Roofs	G2	4/20/1948
2828-2-1	Layout Plan Waste Disposal Area	H2	4/24/1948
2828-2-2	Layout Building H	H2	4/24/1948
2828-2-3	Layout Material Handling-Drum Dryer	H2	12/16/1948
2828-2-4	Layout- 12'x12' Drum Dryer, Elevation of Chutes	H2	1/4/1949
2828-2-5	Layout- Material Handling for 24'X30' Drum Dryer	H2	1/13/1949
2828-3-1	Layout Cooling Tower and Pump House	Cooling Tower	8/23/1948
2828-401-11	Supply Air & Condition Air Duct	G2	7/23/1948
2828-401-12	Section Views & Details Supply Air Ductwork	G2	7/28/1948
2828-401-13	G-2 Building Stack	G2	7/20/1948
2828-401-7	Interior Cell No. 5 Exhaust Ductwork-Plan, Views & Details	G2	11/11/1948
2828-402-1	Bldg H- Plans & Sectional Views of Exhaust Fans, Filter Box, & Duct Layout	H2	10/20/1948
2828-402-10	Bldg. H Plan- Ventilation Layout Remainder of Main Floor	H2	10/21/1948
2828-402-2	Bldg. H Plan- Ventilation Ductwork Below Main Floor, El. 332'	H2	10/18/1948
2828-402-3	Bldg H Plan & Sectional Views- Ventilation Duct in Concrete	H2	9/10/1948
2828-402-33	Hydraulic Power System- Dry Material Handling Bldg. H	H2	6/1/1949
2828-505-1	Item 505 and 509 A, B, C, D & E	Tanks	4/14/1948
2828-570-2	Chute from Item 570	G2	10/14/1948
2828-578-1	Item #578	Tanks	4/17/1948
2828-601-101	Layout Plant Protection-Area 1	G2	3/4/1949
2828-601-102	Layout Plant Protection-Area 1	G2	8/31/1949
2828-601-103	Layout Plant Protection-Area 1	G2	8/31/1949
2828-601-104	Layout Plant Protection Details-Areas 1&2	G2	8/25/1949
2828-601-14	Instrument Piping Details- Solvent Still Panel	G2	3/18/1949
2828-601-16	Layout-Instrument Piping, Cells to Instrument Board	G2	5/10/1949
2828-601-17	Layout-Instrument Piping, Cells to Instrument Board	G2	5/10/1949

<b>Drawing No. and File Name</b>	<b>Description</b>	<b>Bldg.</b>	<b>Date</b>
2828-601-18	Instrument Piping Cell 1	G2	2/17/1949
2828-601-19	Instrument Piping Cell 2	G2	2/22/1949
2828-601-20	Schematic Instrument Diagrams	Tanks	11/8/1948
2828-601-21	Schematic Instrument Diagrams	Tanks	11/9/1948
2828-601-22	Schematic Instrument Diagrams	Tanks	11/10/1948
2828-601-23	Instruments Control Panel Piping Details	G2	2/2/1949
2828-601-24	Instruments Control Panel Piping Details	G2	2/2/1949
2828-601-25	Instruments H.M. Ionization Chamber	G2	6/27/1949
2828-601-26	Intercom System Elementary Diagram	G2-H2	1/24/1949
2828-601-27	Instruments Amplifier – Schematic Diagram AU29 & AU34 Area 1 & 2	G2	11/15/1948
2828-601-28	Instruments Amplifier Cabinets Wiring Diagrams Area 1	G2	12/17/1948
2828-601-29	Intercom Control Panel Wiring Diagram	G2	11/16/1948
2828-601-30	Instruments Piping Sampling Unit Recirculating Type	G2	12/29/1948
2828-601-31	Instruments Piping Sampling Unit Weir Box Type Areas 1 & 2	G2	12/28/1948
2828-601-32A	Instrument Wiring Schedule	G2	09/14/1949
2828-601-35	Instrument Piping Cell 3	G2	4/4/1949
2828-601-36	Instrument Piping Cell 4	G2	4/4/1949
2828-601-37	Instrument Piping Cell 5	G2	3/25/1949
2828-601-38	Instrument Conduit-Pump Room & Cell 1	G2	5/31/1949
2828-601-39	Instrument Conduit-Cells 2, 3, & 4	G2	5/31/1949
2828-601-4	Instrument Conduit Layout East Wall- Cells 1 to 4 Inclusive	G2	6/6/1948
2828-601-40	Instrument Conduit-Cell 5 & Solvent Storage Area	G2	5/19/1949
2828-601-5	Instrument Conduit Layout- Cell 5	G2	6/26/1948
2828-602-10	Instruments Wiring Diagram Bldg H Main Control Panel Area 2	G2	6/13/1949
2828-602-101	Layout Plant Protection, Bldg H	H2	3/7/1949
2828-602-102	Layout Plant Protection-Area 2, Bldg H	H2	3/4/1949
2828-602-12	Control Panel Piping Details- Area 2 Bldg H	H2	12/20/1948
2828-602-13	Control Panel Piping Details–Area 2 Bldg H	H2	11/17/1948
2828-602-14	Control Panel Piping Details-Area 2 Bldg H	H2	11/24/1948
2828-602-3	Layout Instrument Piping- Basement, Bldg H	H2	12/6/1948
2828-602-4	Layout Instrument Piping-Sections & Elevations, Bldg H	H2	1/14/1949
2828-602-5	Layout Instrument Piping Details-Drum Dryer & Evaporator Units, Bldg H	H2	4/18/1949
2828-602-6	Instrument Conduit Layout Plan- First Floor Building H	H2	9/24/1948
2828-602-7	Instrument Conduits Plan- Dryer Floor Building H	H2	9/24/1948
2828-602-8	Instrument Conduits Plan- Basement Floor Building H	H2	9/24/1948
2828-602-9	Instrument Conduit Sections and Details- Building H	H2	9/24/1948
2828-701-13	Piping Plan Inert Gas Generator	G2	9/2/1948
2828-701-14	Piping Plan Below Elevation 336', Cell 3	G2	10/21/1948

<b>Drawing No. and File Name</b>	<b>Description</b>	<b>Bldg.</b>	<b>Date</b>
2828-701-15	Piping Plan Below Elevations 344' & 351", Cell 3	G2	10/22/1948
2828-701-16	Piping Sections A-A & B-B, Cell 3	G2	10/28/1948
2828-701-17	Piping Sections C-C & D-D, Cell 3	G2	10/22/1948
2828-701-2	Piping Plan of Pump Room and Cell 1	G2	10/11/1948
2828-701-20	Piping Plans-Cell 4, Elevations 324' & 334'	G2	11/26/1948
2828-701-21	Piping Plan-Cell 4, Elevation 342'	G2	11/29/1948
2828-701-22	Piping Elevations-Cell 4, Sections A & B	G2	12/6/1948
2828-701-24	Piping Plans of SS Solvent-Above Elev. 350'-6"	G2	4/6/1949
2828-701-25	Piping Plans of Cell 5-Above Elev. 337'	G2	3/25/1949
2828-701-26	Piping Plan of Cell 5-Bellow Banks	G2	3/15/1949
2828-701-27	Piping Section A-A, Cell 5	G2	12/20/1948
2828-701-28	Piping Section B-B, Cell 5	G2	1/10/1948
2828-701-29	Piping Sections C-C & D-D, Cell 5	G2	3/14/1949
2828-701-3	Piping Section AA-Pump Room & Cell 1	G2	10/18/1948
2828-701-30	Piping Section E-E, Cell 5	G2	12/20/1948
2828-701-31	Piping Section of Cell 5	G2	3/21/1949
2828-701-32	Piping Section Below Banks- Cell 5	G2	4/19/1949
2828-701-36	Piping Plan Below Elevation 360'	G2	11/1/1948
2828-701-37	Piping Plan Below Elevation 360'	G2	10/25/1948
2828-701-38	Piping Plan Below Elevation 352'	G2	11/20/1948
2828-701-39	Piping Plan Below Elevation 352'	G2	11/15/1948
2828-701-4	Piping Section BB-Pump Room & Cell 1	G2	10/25/1948
2828-701-40	Piping Elevation A	G2	10/28/1948
2828-701-41	Piping Elevation A	G2	10/20/1948
2828-701-48	Piping Plans and Elevations SS Solvent Above Elev. 337'	G2	3/4/1949
2828-701-5	Piping Section CC-Pump Room & Cell 1	G2	10/15/1948
2828-701-54	Piping Plan of Utility Piping in Access Tunnel	G2	6/6/1949
2828-701-57	Pipe Room Plans at Elevation 334'	G2	11/28/1948
2828-701-58	Piping Sections Y and Z, Pipe Room	G2	11/29/1948
2828-701-59	Piping Sections W and X, Pipe Room	G2	11/29/1948
2828-701-6	Piping Section D-D, Pump Room	G2	10/19/1948
2828-701-60	Pipe Room Plan at Elevation 336'	G2	11/29/1948
2828-701-63	Piping Tunnel Plans of Piping (Cells 1-4)	G2	7/14/1949
2828-701-64	Piping Tunnel Plans of Piping from Pipe Room to Cells 4 & 5	G2	7/12/1949
2828-701-65	Tunnel Pipe Plan-Cells to Headers	G2	8/1/1949
2828-701-66	Tunnel Pipe Plan-Cells to Headers	G2	7/29/1949
2828-701-68	Piping Sections- Hot and Process Tunnel	G2	8/1/1949
2828-701-69	Piping Sections- Hot and Process Tunnel	G2	8/24/1949
2828-701-7	Piping Section EE- Cell 1	G2	10/22/1948
2828-701-7A	Piping Section FF- Cell 1	G2	10/28/1948
2828-701-9	Piping Cell 2 Plans and Section A	G2	9/30/1948
2828-702-1	Piping Plan of Piping in H Bldg. Tunnel Above El. 316'	H2	3/25/1949

Drawing No. and File Name	Description	Bldg.	Date
2828-702-10	Piping Plan-Evaporators Below Elev. 319'	H2	11/15/1948
2828-702-11	Piping Plan of Evaporators Below Elev. 332'	H2	11/15/1948
2828-702-12	Piping Plan of Evaporators Above Elev. 332'	H2	11/15/1948
2828-702-13	Piping Evaporator Area Section A-A	H2	11/15/1948
2828-702-14	Piping Evaporator Area Section B-B	H2	11/15/1948
2828-702-19	Piping Plan-Drum Dryer and Neutralizer	H2	12/2/1948
2828-702-21	Piping Elevations-Drum Dryer and Neutralizer	H2	1/3/1949
2828-702-23	Section X-X – Drum Dryers 408-1 & 408-2	H2	3/1/1949
2828-702-24	Sections Y-Y & Z-Z – Drum Dryers 408-1 & 408-2	H2	3/2/1949
2828-702-26	Plan of Drum Dryer 408-2 & Corridor Below 332'	H2	6/22/1949
2828-702-28	Section C-C – Elevation View of Drum Dryer 408-2 & Corridor Piping	H2	6/21/1949
2828-702-29	Section D-D – Elevation View of Drum Dryer 408-2 Area & Corridor	H2	6/20/1949
2828-702-3	Plan-Piping in H Building Tunnel Above Elev. 316'	H2	4/4/1949
2828-702-31	Plan-Evaporator Storage and Neutralizer 335 Below Elev. 332'	H2	12/13/1948
2828-702-32	Plan-Evaporator Storage and Neutralizers 320, 336 Below Elev. 319'	H2	1/26/1949
2828-702-34	Sections KK & LL- Evaporator Storage A-525-A	H2	12/13/1948
2828-702-35	Plan of Neutralizer 335 Below Elevation 319' and Section J-J	H2	1/21/1949
2828-702-37	Plan of Evaporator Storage and Neutralizers 320, 336 Below El. 332'	H2	12/13/1948
2828-702-38	Section G-G – Evaporator Storage A-525-C and Neutralizer 336	H2	12/13/1948
2828-702-39	Section H-H – Evaporator Storage A-525-B and Neutralizer 320	H2	12/13/1948
2828-702-5	Piping Elevation of holdup tank 578	H	12/09/1948
2828-702-6	Piping Elevation of waste disposal tank item 509E and pipe trench	H2	12/03/1948
2828-702-7	Plans and Elevations- Trench Piping Below Elevation 319'	H2	5/19/1949
2828-702-8	Piping H Building Tunnel Sections	H2	8/5/1949
2828-703-1	Plan- Cooling Tower	H2	9/27/1948
2828-703-10	Section of Underground Piping –Building H to Cooling Tower	Cooling Tower	9/30/1948
2828-703-16	Plan- Transfer Tunnel	G2/H2	7/27/1949
2828-703-17	Sections- Transfer Tunnel	G2/H2	7/23/1949
2828-703-9	Plan- Underground Piping between Building H and Cooling Tower	H2	9/30/1948
2828-792-1	Piping Line Index-Cell 2	G2	1948
2828-792-2	Piping Line Index-Cell 5	G2	6/22/1948
2828-792-3	Piping Line Index-Cell 3	G2	6/29/1948
2828-792-4	Piping Line Index-Neutralizers & Storage	G2	6/21/1948
2828-792-5	Piping Line Index -Solvent Still	G2	6/23/1948
2828-792-7	Piping Line Index-Evaporators & Storage	H2	6/21/1948

<b>Drawing No. and File Name</b>	<b>Description</b>	<b>Bldg.</b>	<b>Date</b>
2828-792-8	Piping Line Index -Drum Dryer	H2	6/21/1948
2828-801-1	Cell Floor Plan- Elevation 327'	G2	8/7/1948
2828-801-13	Ground Floor Plan	G2	7/24/1948
2828-801-2	First Floor Plan- Elevation 337'	G2	7/20/1948
2828-801-23	Crane Gallery Floor Plan	G2	11/22/1948
2828-801-3	Balcony Floor Plan- Elevation 350'-6"	G2	7/22/1948
2828-801-4	Plan-Crane Gallery and Weigh Tank	G2	7/20/1948
2828-801-5	Plan and Foundation Underground Waste Storage Tank Cells	G2	8/16/1948
2828-801-61	Cell Floor & Sump Details	G2	12/24/1948
2828-801-62	Arrangement of Floor Plates for Cells	G2	07/05/1948
2828-801-63	Structural Stainless Steel Floor Cells	G2	7/10/1948
2828-801-64	Structural Stainless Steel Floor Cells	G2	7/13/1948
2828-801-65	Structural Stainless Steel Floor Cells	G2	7/19/1948
2828-801-66	Structural Stainless Steel Floor Cells	G2	7/22/1948
2828-801-67	Structural Stainless Steel Floor	G2	8/28/1948
2828-802-1	Plan & Foundation Underground Waste Storage Bldg H	H2	9/20/1948
2828-802-2	Foundation Plan – Building H	H2	7/21/1948
2828-802-28	Structural Concrete Cells – Building H	H2	8/23/1948
2828-802-3	Plan- Dryer Floor- Building H	H2	4/10/1948
2828-802-41	Plan, Elevation 332 Level- Building H	H2	10/6/1948
2828-802-5	Roof Plan- Building H	H2	7/26/1948
2828-802-7	North and South Elevations-Building H	H2	8/4/1948
2828-802-8	Longitudinal Sections AA & BB-Bldg. H	H2	8/13/1948
2828-802-9	Cross Section C-C & D-D – Bldg. H	H2	9/2/1948
2828-803-3	Cooling Tower, Pump House	H2	10/5/1948
2828-804-3	Tunnel From Bldg. G2 to Building H	Tunnel	9/10/1948
2828-900 (Series)	Electrical Area Data	Varies	1949
2828-92-1	Flow Diagram	SPRU Process	6/29/1948
2828-92-101	SPRU Flow Diagram	SPRU Process	6/10/1948
2828-92-2	Flow Diagram	SPRU Process	3/29/1948
2828-92-3	Flow Diagram	SPRU Process	6/29/1948
2828-92-4	Flow Diagram	SPRU Process	5/8/1948
2828-92-5	Flow Diagram	SPRU Process	3/17/1948
2828-92-6	Flow Diagram	SPRU Process	5/17/1948
2828-92-7	Flow Diagram	SPRU Process	6/29/1948
2828-92-8	Flow Diagram	SPRU Process	5/8/1948

Drawing No. and File Name	Description	Bldg.	Date
<b>KAPL and Contractor Drawings</b>			
E1-SF-1	Basement Floor Plan - Building E1	E1	10/2/1965
G-327	SPRU Building G2-Floor Plans, Elev. 327'	G2	6/2004
G-337	SPRU Building G2-Floor Plans, Elev. 337'	G2	6/2004
G-349	SPRU Building G2-Floor Plans, Elev. 349'	G2	6/2004
G-357	SPRU Building G2-Floor Plans, Elev. 357'	G2	6/2004
G-A-2	Equipment Room Floor Plan	G2	08/19/1948
G-PP-1	Process Piping Basement Layout	G1/G2	7/24/1948
G-SF-1	Bldgs G1 and G2 Basement Floor Plan	G1	4/1/1949
G-SF-17	Sections Thru Tunnel	G1	04/01/48
G2/H2-A-10643	Connecting Tunnel Plan and Section	G2/H2	2/17/1984
G2-A-10644	Building G2 Floor Plans	G2	2/17/1984
G2-A-20660	BS/WS Floor Plans	G2	2/13/1954
G2-A-2401	OBS Modification Floor Plans	G2	1/13/1960
G2-A-2402	OBS Modification Floor Plans	G2	1/6/1960
G2-A-2403	OBS General Modifications	G2	12/29/1959
G2-A-2405	Stairs Plans and Sections Building G2	G2	1/27/1960
G2-A-2833	Modifications-Building G2 Filter Aisles	G2	4/10/1961
G2-A-2890	Modifications-Truck Dock	G2	5/27/1961
G2-E-3820	Autoclave Facility Area Equipment Plan	G2	10/30/1964
G2-PE-2520	Installation of Sump Pump in Autoclave Room Bldg G2 Rearrangement and New Piping	G2	06/27/1960
H2-28a	Drawing H2-28a, H2 319' level Floor Plan Note: this drawing is in the Photograph File	H2	Undated
H2-28b	Drawing H2-28b, H2 309' level Plan Note: this drawing is in the Photograph File	H2	Undated
H2-A-3649	Slurry Drumming Facility Bldg. H-2	H2	3/12/1964
H2-P-4977	Demineralizer Process System Bldg. H-2	H2	3/24/1975
H2-P-5069	Hillside Ground Water Processing System	H2	6/11/1976
H309rev1LT	H2 209-foot level	H2	09/2001
SK-6081	Second and Third Floor Plans-Bldg. G2	G2	2/17/1977
Y-P-4767	Radioactive Drain System	Tunnels	12/1/1972

## Appendix C – List of Photographs

File Name	Title	Date
G2-1	G2 Under Construction Showing Interior Wall Construction	Summer 1948
G2-2	G2 Looking North (KS11549)	1948
G2-3	Pump, Filter and Blower House (Building G-3)	Undated
G2-4	Lower Sample Aisle (KS-60545)	Undated
G2-6	Sampling Room #1, (Aisle) (337-Foot Level), Upper Sampling Area - Looking South	1966
G2-7	Sampling Room #1, (Aisle) (337-Foot Level), Upper Sample Aisle - Looking North	Undated
G2-8	Lower Sample Aisle – Extreme North side. Five large pipes apparent above aisle	Undated
G2-9	Lower Sample Aisle – Looking North. Six large pipes apparent above aisle that appear to extend into area depicted on G2-8	Undated
G2-10	Cell No. 2 (325-Foot Level), Southeast corner of Cell No. 2 (facing northwest)	January 18, 1949
G2-11	Cell No. 5 (327-Foot Level), Cell No. 5, Looking South. A554 Evaporative	Undated
G2-12	Northeast corner of G2	May 19, 1948
G2-13	Sampling Room #1, (Aisle) (337-Foot Level), Lower Sample Aisle - Looking South	Undated
G2-14	Cell Access Corridor (327-Foot Level), Cell Access Aisle, Looking North, Lighting, Cables, Overhead Piping	Undated
G2-15	Sampling Room #1, (Aisle) (337-Foot Level), Upper Sample Aisle - Looking North	Undated
G2-16	Form for North Wall of G2	April 7, 1948
G2-17	Looking South at G2 and G1	June 1948
G2-18	North West Corner of G2, Annex Excavation	Undated
G2-19	G2 Under Construction Shows Steel Framing and Concrete Walls	July 20, 1948
G2-20	Northeast Corner of G2	July 20, 1948
G2-21	Cell No. 1 (325-Foot Level), Piping on north side above vent scrubber basin; vent scrubber column (right)	Undated
G2-22	Cell No. 1 (325-Foot Level), Close-up of vent scrubber column	Undated
G2-24	Constant Head Balcony Looking Northwest at Head Balcony and Weigh Tank Floor During Construction	December 22, 1948

File Name	Title	Date
G2-25	West Side of Roof on Building G1 Looking North at G2 Annex	December 22, 1948
G2-26	Cell No. 5 (325-Foot Level), Interior of Cell No. 5 (facing south) with apparent maintenance/welding underway	Undated
G2-28	Cell No. 2 (325-Foot Level), Vessel 501 - Dissolver Tank in Cell No. 2	Undated
G2-29	Cell No. 3 (325-Foot Level), Mixer-settlers in place prior to 1965	Undated
G2-30	G2 SPRU Process Control Room (357-foot level)	1949
G2-31	Cell No. 5 (325-Foot Level), Interior of Cell No. 5 (facing south) Equipment and piping; poor clarity	1949
G2-32	Cell No. 5 (327-Foot Level), Interior of Cell No. 5 (facing south)	Undated
G2-33	Cell No. 4 (325-Foot Level), Top of Vessel A519-Waste Holdup Tank and piping	Undated
G2-34	Crane Gallery Floor (357-Foot Level), Crane Gallery Under Construction	Undated
G2-37	Cell No. 4 (325-Foot Level), Area above top of A519-Waste Holdup Tank (see also G2-33)	Undated
G2-38	G2 348-Foot Level, Upper Sample Aisle Looking South	Undated
G2-44	Balcony of G2 Looking West Toward G2 Annex Showing Piping	November 18, 1948
G2-45	North at G2 Annex From West of Building G1	May 24, 1949
G2-47	Cell No. 5 (327-Foot Level), Cell No. 5, Looking Northeast	July 5, 1949
G2-49	Pump, Filter and Blower House were Demolished (Building G-3)	March 29, 1949
G2-50	Vent Stack (Building G-3), Looking Northwest Exterior of G2 Annex, Stack Base and Scrubber Base from G1 Roof	November 18, 1948
G2-52	Northwest Corner of G2 Pipe Room Looking South	April 25, 1949
G2-53	G2 North Side (Looking Southeast)	November 2004
G2-54	G2 South and West Sides (Looking North)	November 2004
G2-56	Lower Sample Aisle – Looking North (KS-60548). Photograph depicts decontamination or other construction activity occurred (e.g., piping and equipment wrapped in plastic and other materials)	Undated
G2-57	Lower Sample Aisle – Looking North. Some equipment appears to be removed and wiring disconnected. Equipment and debris on floor	Undated
G2-58	Lower Sample Aisle – Looking North. Equipment covered. Debris on flooring	Undated
G2-59	Lower Sample Aisle – Looking South (KS-60544), Post-SPRU Decommissioning	Undated

File Name	Title	Date
G2-61	Lower Sample Aisle – Looking South, photograph undated, appears to be similar time period to G2-13 because a ladder is common to the two photographs	Undated
G2-63	Sampling Room #1, (Aisle) (337-Foot Level), Upper Sample Aisle - Looking South	Undated
G2-69	Cell No. 5 (327-Foot Level), Solvent storage vessel 316 and close-up of piping	Undated
G2-70	View of Building G2 and G2 Balcony (Facing North East)	Undated
G2-74	Technical Library; Facilon cover over area with fixed contamination and regions of corrosion Room 100 (337-Foot Level)	1984
G2-75	Room 100 (Pipe Room Door) (337-Foot Level), Lower Storage Area (Pipe Room Door)	1984
G2-76	Room 100 (337-Foot Level), Upper storage area fixed contamination on duct and adjacent wall and floor area	1984
G2-77	Room 100 (337-Foot Level), Upper storage area fixed contamination on an active duct and blower	1984
G2-78	Room 199 (Office Space) (350-Foot Level), Office space showing a metal cover over fixed contamination in an area where personnel hang coats	1984
G2-79	357-Foot Level, Crane Gallery Floor, Room 199 General Photograph of the Crane Gallery. Not same view as G2-94 below	1984
G2-80	Room 199 (Office Space) (350-Foot Level), West wall of office space showing fixed contamination and area where water stains from leaking roof	1984
G2-81	Room 199 (Laboratory) (350-Foot Level), West Wall Showing Fixed Contamination in the Laboratory area	1984
G2-82	Room 154 (Office) (337-Foot Level), BCE; Office space showing built-up lead shielding on the floor	1984
G2-83	Room 197 (349-Foot Level), Lower Filter Area; Office Space Showing Fixed Contamination on Wall	1984
G2-84	Room 197 (349-Foot Level), Showing Fixed Contamination on window sill covered with metal	1984
G2-85	Room 197 (349-Foot Level), Showing cask loading room and F, D Contamination in Entrance to Building	1984
G2-86	Room 199 (350-Foot Level), Equipment room showing fixed contamination on ducting and walls and stained walls and ducting resulting from leaking	1984
G2-88	357-Foot Level, Crane Gallery Floor, Crane Gallery	1997

File Name	Title	Date
G2-89	Balcony G2 Looking West Toward G2 Annex, Showing Piping	November 18, 1948
G2-90	327-Foot Level, Cell No. 5, Northeast view of Cell No. 5. Stairway at photograph center. Two tank/vessels at bottom right. Possible cat-walk at photo front	Undated
G2-91	Unknown Interior, #19 Looking South from Northwest corner of (?) Room in G2 Annex	July, 1949
G2-92	Mezzanine (337-Foot Level), #18 Looking Northwest at Mezzanine in Building G2 from Southwest corner of First Floor	July 6, 1949
G2-93	Mezzanine, #17 Looking Northwest Mezzanine in Building G2 from Southeast corner of First Floor	July 26, 1949
G2-94	357-Foot Level, Crane Gallery Floor, Crane Gallery Looking North Equipment and lighting apparent. Some construction activity based on workers in photograph	March 29, 1949
G2-100	G2 East Side (Looking Southwest)	June 2004
G2-104	G2 337-Foot Level, Decontamination Chamber inside North Entrance	November 2004
G2-107	G2 357-Foot Level Laboratory and Slug Chute Plug	June 2004
G2-108	G2 357-Foot Level Ventilation Room, Looking North	November 2004
G2-109	G2 357-Foot Level Ventilation Room, Looking East	November 2004
G2-111	G2 348-Foot Level Suspended Ceiling	November 2004
G2-112	G2 348-Foot Level Open Area East of Upper Sample Aisle	Undated
G2-114	G2 337-Foot Level, Women's Room, View 1	November 2004
G2-115	G2 337-Foot Level, Women's Room, View 2	November 2004
G2-116	G2 337-Foot Level, Janitor's Closet	November 2004
G2-117	G2 337-Foot Level, Men's Room	November 2004
G2-121	Building G2 325-Foot Level Library Storage Room	2004
G2-122	325-Foot Level Library Storage Covered Piping	2004
G2-123	325-Foot Level Library Storage 3, Sealed Panels	2004
G2-127	G2 337-Foot Level, Room 154 formerly the BCE	June 2004
G2-130	G2 337-Foot Level, Room 174 (Northeast Corner)	November 2004
G2-131	G2 337-Foot Level, Room 176 Lower Deck	November 2004
G2-135	G2 337-Foot Level, Room 178 Upper and Lower Decks	November 2004
G2-137	G2 337-Foot Level, Truck Dock	November 2004
G2-140	G2 337-Foot Level, Room in Northeast Corner of Room 154	June 2004
G2-141	G2 337-Foot Level, Door West of Decontaminating Chamber	November 2004

File Name	Title	Date
G2-143	G2 337-Foot Level, Room 197 View 2	November 2004
G2-145	G2 337-Foot Level, Northwest Stairway	November 2004
G2-148	G2 337-Foot Level, Room 174 (Southeast Corner)	November 2004
G2-152	G2 357-Foot Level, Room 199	November 2004
G2-153	G2 357-Foot Level, Room 199 South End	November 2004
G2-154	G2 357-Foot Level, Corridor	November 2004
G2-155	G2 357-Foot Level, Crane Gallery, East Wall	November 2004
G2-156	G2 357-Foot Level, Crane Gallery, North End	November 2004
G2-157	G2 357-Foot Level, South End of Crane Gallery	November 2004
G2-158	G2 357-Foot Level, Crane Gallery, West Wall	November 2004
G2-159	G2 357-Foot Level, Office Space Center-West	November 2004
G2-162	G2 357-Foot Level Ventilation Room, Looking West	November 2004
G2-164	G2 Overlooking Hoisting Bay from 357-Foot Level	November 2004
H2-9	Looking North at H Building, Tank Farm, and H1 Cooling Tower from G2 Room	April 25, 1949
H2-10	Looking North in H Building Control Room from Southeast Corner	April 25, 1949
H2-11	Looking North at H Building and Tank Farm from G2 Roof	September 24, 1948
H2-12	Cell 4 Neutralizer Cell (Circa 1965)	Undated
H2-15	#19 Looking North at Shielded Pipe Trench In Drum Drier Room in Building H	July 26, 1949
H2-16	Looking North into 309-Foot Level from Crane Bay (As it looked during SPRU operations)	Undated
H2-17	Looking South in West Evaporator Bay 309-Foot Level (As it looked during SPRU operations)	Undated
H2-18	West Evaporator Cell, 319-Foot Level (As it looked during SPRU operations)	Undated
H2-19	Looking North into West Evaporator Bay 332-Foot Level (As it looked during SPRU operations)	Undated
H2-20	South Drum Dryer Cell 319-Foot Level (As it looked during SPRU operations)	Undated
H2-21	Looking West at East Wall of Drum Drier Room on 319-Foot Level (As it looked during SPRU operations)	Undated
H2-22	South Hopper Cell, Looking Southeast on 309-Foot Level (As it looked During SPRU operations)	Undated

File Name	Title	Date
H2-23	Looking East at Evaporator Control Station from West Side of Crane Bay on 319-Foot Level (As it looked during SPRU operations)	Undated
H2-24	East Evaporator Bay, 332-Foot Level (As it looked during SPRU operations)	Undated
H2-25	Looking North at H Building from G2 Roof	May 24, 1949
H2-27	#19 Looking North at Shielded Pipe Trench In Drum Drier Room in Building H	July 26, 1949
H2-28 a, b	Figure 16 Plan View of BLDG. H2-332, 319 and 309 Ft. Levels (Elev.)	Undated
H2-29 a, b	Standing at the top of the stairs looking down to the 319- / 309-Foot Levels	Undated
H2-30 a, b	Standing on the stairs between the 332- and 319-Foot Levels looking down to the 309-Foot Level	Undated
H2-31 a, b	Standing on the 319-Foot Level at the bottom of the stairs looking West. The corridor to the left leads to the counting room. The corridor to the right leads to the door of the 319-Foot Level West Bay	Undated
H2-32 a, b	Standing on the 319-Foot Level at the bottom of the stairs looking South towards the South Tank Bay, Outside East Wall of the Drum Dryer Cell looking south, 319-Foot Level	Undated
H2-33 a, b	Standing on the 319-Foot Level at the bottom of the stairs looking East towards the FCPE Collection Tanks	Undated
H2-34 a, b	Standing on the 319-Foot Level looking North into the 319-Foot Level East Bay, 319-Foot Level East and West Receiver Tanks	Undated
H2-35 a, b	Standing on the 319-Foot Level looking South at the Control Panel, 319-Foot Level Instrument Panel	Undated
H2-36 a, b	Standing on the 319-Foot Level along the South wall looking at the North wall in the Counting room	Undated
H2-37 a, b	Standing on the 319-Foot Level looking South towards the South Tank Bay and the walkway that leads to the emergency exit stairs	Undated
H2-38 a, b	Standing on the 319 level looking East at the RML Reuse water distribution tanks	Undated
H2-39 a, b	Standing on the 319-Foot Level looking South at the emergency exit stairs to the 332-Foot Level	Undated
H2-40 a, b	Standing on the 319-Foot Level looking South at the catwalk over the RLW Collection Tanks	Undated
H2-41 a, b	Standing on the 319-Foot Level, at the entrance to the South Tank Bay, looking West	Undated
H2-42 a, b	Standing on the 319-Foot Level, at the entrance to the South Tank Bay, looking South	Undated

File Name	Title	Date
H2-43 a, b	Standing on the 319-Foot Level, at the entrance to the South Tank Bay, looking South	Undated
H2-44 a, b	Standing on the catwalk over the South Tank Bay looking North at the North Tank	Undated
H2-45 a, b	Standing on the catwalk over the South Tank Bay looking South at the South Tank, Evaporator Storage Tank 525-A	Undated
H2-46 a, b	Standing on the catwalk over the South Tank Bay looking North	Undated
H2-47 a, b	Standing on the catwalk over the South Tank Bay looking North	Undated
H2-48 a, b	Standing on the catwalk over the South Tank Bay looking West at the outside wall between the Middle and South Tanks	Undated
H2-49 a, b	Standing on the 309-Foot Level at the bottom of the stairs looking South	Undated
H2-50 a, b	Standing on the 309-Foot Level at the East wall looking at the West wall	Undated
H2-51 a, b	Standing on the 309-Foot Level at the South wall looking North towards the 390-Foot Level East Bay, East Evaporator Area 309-Foot Level	Undated
H2-52 a, b	Standing on the 309-Foot Level at the West wall looking at the East wall, 309-Foot Level Viewing the North Door and Waste Drums	Undated
H2-53 a, b	Standing on the 309-Foot Level behind the stairs looking West. The door on the left leads to the emergency exit tunnel. The corridor to the right leads to the door to the 309/ level West Bay	Undated
H2-54 a, b	Standing on the 309-Foot Level looking West at the outside wall	Undated
H2-55 a, b	Standing on the 309-Foot Level looking West out the emergency exit tunnel	Undated
H2-56 a, b	Standing on the 309-Foot Level at the West wall looking South towards the entrance to the South Tank Bay	Undated
H2-57 a, b	Standing on the 309-Foot Level at the East wall looking North at the door that leads into the Building H-2 Tunnel	Undated
H2-58 a, b	Standing on the 309-Foot Level at the bottom of the stairs looking SW towards the RLW Upflow Columns, Radioactive Materials Laboratory Reuse System Ion Exchange Tanks, 309- and 319-Foot Levels	Undated
H2-59 a, b	Standing in the 309-Foot Level East Bay looking Northwest at the stainless steel floor	Undated
H2-60 a, b	Standing in the 309-Foot Level East Bay looking Northwest at the stainless steel lined sump	Undated
H2-61a, b	Standing in the 309-Foot Level East Bay looking East at the welded seam going up the wall	Undated

File Name	Title	Date
H2-62 a, b	Standing on the 319-Foot Level looking North at the top of the East Reuse Receiver Tank	Undated
H2-63 a, b	Standing on the 309-Foot Level looking East at the bottom of the East Reuse Receiver Tank	Undated
H2-64	Looking North H Building, Tank Farm and Cooling Tower from G2 Roof	March 1949
H2-65	H2 Control Room, 332-Foot Level	Undated
H2-71	H2 interior	1997
H2-72	H2 interior	1997
H2-73	Evaporator Storage Tank Area, 319 Foot Level Looking South	1997
H2-75	H2 interior	1997
H2-76	Hillside Drain System Tanks and Neutralizer Hatch	Undated
H2-86	Removing Neutralizer Cell Access Hatch at the 332-Foot Level	Undated
H2-87	Neutralizer Cell Fig 18B Looking down to 309-Foot level from open access hatch on 332-Foot level	Undated
H2-89	Hatch Cover	Undated
H2-93	Tank Farm Area East of Building H2, Looking North	2004
H2-96	Looking North at Building H2 from G2 Roof	Undated
H2-100	North end of Bldg. G2 roof Looking north at Bldg. H	February 21, 1949
H2-101	#14 Looking North on First Floor of Building H. From Southwest Corner	April 24, 1949
H2-102	Southwest Corner of Building H- Main Floor Looking Northeast	April 25, 1949
H2-103	#21 Looking Northwest From South End of Filter Room in Building H	July 5, 1949
H2-104	Looking Southwest and Down in Building H. From Top of Cabinets	July 5, 1949
H2-144	Slurry Drum Facility, North Side of H2	June 23, 2004
Ladder	Tank Farm ladder leading into a vault	Undated (1989?)
MISC-13	G2, 349-Foot Level, Filter Room, Ventilation Filter	Undated
MISC-15	G2, 337-Foot Level, Filter Room, Ventilation Filter	Undated
Tank top	Tank Top in Tank Farm Vault, Looking East	Undated
TNL-1	View of H2 Pipe Tunnel	Undated
TNL-3	G1 West Tunnel Door	2004
TNL-4	G2-H2 Tunnel During Construction	January 18, 1949
TNL-6	Process Tunnel (327-Foot Level), G1 tunnel. Minor debris on flooring	1948

<b>File Name</b>	<b>Title</b>	<b>Date</b>
TNL-7	E1 North Side Tunnel Steel Door	2004
TNL-8	E1 Tunnel Aisle Entry	2004
TNL-10a	G1 Tunnel Capped Drain Pipe	2004
TNL-11	G1 Tunnel Welded Hatch	2004
TNL-16	New Interceptor Placed in G1 Tunnel	2004